Name :

Roll No. :

Invigilator's Signature :

CS/BCA/SEM-1/BCA-103/2012-13 2012

INTRODUCTION TO PROGRAMMING

Time Allotted : 3 Hours

Full Marks : 70

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

GROUP – A

(Multiple Choice Type Questions)

- 1. Choose the correct alternatives for any *ten* of the following : $10 \times 1 = 10$
 - i) C is a
 - a) middle level language
 - b) high-level language
 - c) low-level language
 - d) none of these.
 - ii) A do-while loop is useful when we want that the statements within the loop must be executed
 - a) only once b) at least once
 - c) more than once d) none of these.

[Turn over

- iii) Every C function
 - a) by default return an integer value
 - b) by default return more than one integer value
 - c) by default return an floating costant
 - d) none of these.
- iv) An array is a collection of
 - a) different data types scattered through memory
 - b) the same data type scattered throughout the memory
 - c) the same data type placed next to each other in memory
 - d) different data types placed next to each other in memory.
- v) When you pass an array as an argument to a function, what actually gets passed
 - a) address of the array
 - b) value of the elements of the array
 - c) address of the first element of the array
 - d) number of elements of the array.

- vi) What is a preprocessor directive ?
 - a) A message from compiler to the programmer
 - b) A message from compiler to the linker
 - c) A message from programmer to the preprocessor
 - d) A Message from programmer to the microprocessor.
- vii) A header file is
 - a) a file that contains standard library functions
 - b) a file that contains definitions & macros
 - c) a file that contains user defined functions
 - d) a file that is present in current working directory.
- viii) The break statement is used to exit from
 - a) an if statement
 - b) a for loop
 - c) a program
 - d) the main () function.

1107

3

[Turn over

- ix) Which function would you use if a single key is to be received through the keyboard ?
 - a) scanf() b) gets()
 - c) getcha() d) getchar().
- x) If *p & *q are two pointer variables, then which of the following statements are true
 - a) *p + *qb) *p/*qc) *p + 10d) none of these.
- xi) What is the output of the following programs ?

main()

{ int *i* = 1

printf("%*d*%*d*%", *i*, ++*i*, *i*++);

}

a) 1 3 3 b) 3 2 2 c) 3 1 1 d) 3 3 1.

GROUP – B (Short Answer Type Questions) Answer any *three* of the following. $3 \times 5 = 15$

- Describe the different symbols used in a flowchart with a suitable example. What do you mean by debugging of a program?
 4 + 1
- 3. Briefly describe the different loop control structures in 'C' with syntax, example and explanation.
- 4. What are the advantages of using functions in 'C' programming ? What is the difference between users defined functions & library functions ? What is recursion in programming ? What advantage is there in its use ?

2 + 1 + 1 + 1

- 5. What is dynamic memory allocation ? Why a linked list is called a dynamic data structure ? What are the advantages of using linked lists over arrays ? 1 + 2 + 2
- 6. What is structure ? How is a structure member accessed ? What is an array of structures described with an example ?

1 + 1 + 3

1107

[Turn over

GROUP – C (Long Answer Type Questions) Answer any *three* of the following. $3 \times 15 = 45$

 Explain the difference between 'call by reference' and 'call by value'. What is the difference between global & local variable. Write a recursive function for GCD calculation.

5 + 3 + 7

- 8. What do you mean by storage classes in 'C' ? Name different storage classes and explain each with examples. Write a 'C' program that implements the matrix multiplication using 2-D array. 2 + 6 + 7
- 9. What is linked list ? What are the advantages of switch case ? Describe different types of data types. Write a 'C' program to calculate factorial of a number. 2 + 2 + 6 + 5
- 10. What is union ? How does a union differ from a structure ? How a union member accessed ? Write a 'C' program that implements a structure <u>person</u> that would contain person name, data_of_joining & salary. 2 + 3 + 2 + 8

11. Write short notes on any *three* of the following : 3×5

- a) Preprocessor directives
- b) strcpy() and strcm () function
- c) Automatic and satic variables
- d) getc() and getchar() function
- e) Actual & formal arguments.